ELSEVIER

Thin Solid Films 332 (1998) 455–456

thin solid films

Author Index of Volume 332

Adams, D., 235
Alayo, M.I., 40
Alford, T.L., 235
Allen, P.B., 1
Amaratunga, G.A.J., 118
Anguita, J.V., 118, 252
Ao, T., 247
Arnold, B., 69
Asai, N., 267
Avasthi, D.K., 98

Baia Neto, A.L., 130
Banerjee, S.K., 375
Barreca, F., 290
Barton, D., 50
Baumann, H., 230
Beaudoin, S., 379
Beck, U., 164
Bell, J.M., 189
Bellaton, B., 151
Bellur, K.R., 428
Bera, L.K., 375
Berger, S., 10
Besser, P., 319
Bhat, K.S., 220
Bhattacharya, D., 46
Bhusari, D.M., 34, 74
Bibby, T., 379
Blackson, J.H., 80
Bordes, N.S., 109
Boudani, N.I., 50
Brinker, C.J., 356
Brown, D., 319
Brown, W.D., 93
Bruns, M., 230
Bullington, J.A., 356
Burden, A.P., 118, 252
Burdick, G., 379

Cale, T.S., 312
Camargo Jr., S.S., 130
Cameron, D.C., 62
Carius, R., 130
Carreño, M.N.P., 40
Cermignani, W., 80
Chang, C.Y., 345, 351, 423
Chang, T.C., 345, 351, 423
Chen, K.H., 34, 74
Chen, L.C., 34, 74
Chen, L.J., 423
Chen, L.Y., 319
Chen, T.M., 74
Chiyoda, H., 141
Chou, M.F., 351
Chow, T.P., 391
Chowdhury, A.K.M.S., 62
Clem, P.G., 356
Clissold, R., 189
Colpo, P., 21
Consiglio, R., 151
Contreras, M.A., 340

Dahan, R., 10
Dai, B.T., 345
Dai, F., 379
Dapkunas, S.J., 164
Datta, S.K., 220
Deyama, S., 141
Dhar, A., 46
Dun, J., 397

Eggs, C., 277
El Mansori, M., 124
Elizalde, E., 209
Evetts, J.E., 56

Fawcett, T., 80
Finger, F., 130
Fischer-Cripps, A.C., 180
Fleig, P.F., 257
Foster, R.F., 312

Giannakopoulos, A.E., 172
Gibson, N., 21
Gilliland, D., 21
Gilo, M., 10
Goschnick, J., 215
Grabchenko, A., 124
Gribelyuk, M.A., 404
Griepentrog, M., 157
Grüger, H., 69
Guo, T., 319
Gutmann, R.J., 391

Hanabusa, T., 247
Haque, M.S., 93
Harry, E., 195
Hashiba, M., 141
Hashmi, M.S.J., 62
Hathcock, B., 329
Hawn, D.D., 80
Helderman, P., 335
Henson, K.E., 418
Heuvelman, W.M., 335
Hietala, S.L., 257
Hillman, J.T., 312
Hino, T., 141
Hippler, R., 282
Hiramatsu, M., 136
Hirohata, Y., 141
Ho, W.-Y., 295
Homma, Y., 262
Hones, P., 225, 240
Hong, J.-K., 449
Hong, Q.Z., 404
Hora, J., 25
Howard, J.T., 1
Hsieh, T.E., 385
Hu, J.C., 423
Hu, T., 80
Hu, Y.Z., 391
Huang, H.D., 345, 351
Humlíček, J., 25
Hutchings, I.M., 56
Hyun, S.-H., 444

Ignat, M., 195
Inoue, Y., 267
Ivanov, E., 325, 340

Jacob, A.P., 98
Jämting, Å.K., 189
Jankowski, A.F., 272
Janssen, G.C.A.M., 335
Jaworske, D.A., 30
Jian, P., 329
Jin, I.-S., 300
John, S., 375
Jonnalagadda, R., 312
Julies, B.A., 235
Juliet, P., 195
Jung, H.-S., 103

Kabiraj, D., 98
Kang, M.-G., 305, 437
Karimi, A., 202
Karpuschewski, B., 145
Kersten, H., 282
Khan, M.A., 93
Khan, R.U.A., 118
Kiely, C.J., 118
Kim, D.-H., 300
Kim, H.-R., 444, 449
Kim, J.-W., 305
Kim, K., 369
Kirkpatrick, S.R., 16
Kittl, J.A., 404
Kolesar, E.S., 1
Kroesen, G.M.W., 282
Kuo, C.T., 74
Kurruppu, M.L., 16
Kusaka, K., 247
Kusano, Y., 56
Kwon, D., 369

Lacerda, R.G., 113
Lai, K.K., 329
Le Huu, T., 124
Lee, G.S., 369
Lee, S.Y., 103
Leonhardt, A., 69
Lepienski, C.M., 113
Lévy, F., 225, 240
Lin, J.-H., 295
Lin, S.T., 34
Link, F., 230
Liu, C.W., 397
Liu, P.T., 345
Lu, T.R., 74
Lutz, H., 230

Maa, J.-s., 412
Maiti, C.K., 375
Mak, A.W., 329
Malshe, A.P., 93
Mamalis, A.G., 124
Managhan, D.G., 418
Marques, F.C., 113
Mashall, J.G., 80
Mayer, J.W., 235
McLaurin, A.W., 418
Mei, Y.J., 345, 351
Mihut, D.M., 16
Misra, D.S., 98
Mitchell, D., 109
Mohlfeld, A., 145

0040-6090/98/$ - see front matter © 1998 Elsevier Science S.A. All rights reserved.
PII S0040-6090(98)01462-X

Moore, J.J., 340
Morant, C., 209
Mosely, R., 319
Mountsier, T.W., 362

Nagai, H., 136
Naseem, H.A., 93
Natzeck, C., 215
Nawata, M., 136
Nebojsa, A., 25
Neri, F., 290
Nigam, G.D., 46
Noda, H., 136
Noufi, R., 340
Nygårds, C.M., 185

Odo, G.Y., 113
Osburn, C.M., 428

Pailthorpe, B.A., 109
Pan, F.M., 345, 351
Panda, B., 46
Pandey, M., 98
Pang, S.S., 103
Papworth, A.J., 118
Park, H.-H., 103, 300, 305, 437, 444, 449
Paulmier, D., 124
Pereyra, I., 40
Prieto, P., 209
Putzig, C.L., 80

Quaas, M., 277

Rabinovitch, K., 10
Radelaar, S., 335
Rafaniello, W., 80
Randall, N.X., 151
Ravi-Chandar, K., 185
Ray, S.K., 46, 375
Reiners, G., 164
Robinson, M.G., 80
Rogers, B.R., 312
Rohde, S.L., 16
Rossi, F., 21
Rouzaud, A., 195
Rozbicki, R.T., 87
Rozeveld, S.J., 80
Ruffner, J.A., 356

Sa, S.-H., 305
Samavedam, S.B., 404
Samuels, J.A., 362
Sanjinés, R., 225, 240
Santos, R.A., 130
Sanz, J.M., 209
Sarin, V.K., 87
Scheibe, H.-J., 157
Schmitt, M., 124
Schneider, D., 157
Schultrich, B., 157
Sealy, B.J., 118
Seegers, H., 145
Selbmann, D., 69
Shannon, J.M., 118
Sharda, T., 98
Shih, F.Y., 345, 351
Shimakura, M., 136
Shinbori, H., 141
Shojaei, O.R., 202
Šikola, T., 25
Sikder, A.K., 98
Silva, S.R.P., 118, 252
Smith, D.T., 164
Somekh, R.E., 56
Sommer, M., 215
Song Kim, T., 300
Soriano, L., 209
Spousta, J., 25
Sriram, C.S., 356
Stecker, G., 412
Steihl, L., 80
Stráský, M., 25
Sugimura, H., 267
Suresh, C., 220
Suryanarayana, C., 340
Swain, M.V., 180, 189
Swanson III, J.R., 16
Sze, S.M., 345

Takai, O., 267
Tamir, S., 10
Taylor, D.J., 257
Teng Hsu, S., 412
Thomas, J., 69
Thomasson, S.L., 418
Thomsen, N.B., 180
Thomson, D., 16
Tominaga, K., 247
Tönshoff, H.K., 145
Trusso, S., 290
Tsai, M.S., 345, 351
Tsang, J.S., 351
Tseng, W.T., 385
Tuttle, B.A., 356
Tyuliev, G., 209

Ulrich, B., 410
Urban III, F.K., 50

Valisa, P., 290
Vasi, C., 290
von Stebut, J., 151
Voss, S., 319

Wang, D.-Y., 295
Wang, T.C., 385, 397
Wang, T.Y., 34
Wang, Y.L., 385, 397
Wendling, T.P.H.F., 329
White, K.W., 185
Wielunski, L.S., 189
Wilken, J.W., 1
Witcraft, B., 391
Woollam, J.A., 16
Wu, F., 418
Wu, J., 385, 397
Wu, W.F., 345, 351
Wulff, H., 277

Yang, D., 312
Yang, F.K., 397
Yang, H., 404
Yang, J.R., 34
Yang, Y.L., 423
Yeom, G.-Y., 444
Yu, N., 404

Zhang, G., 379
Ziegele, H., 157
Zudock, F., 215

ELSEVIER

Thin Solid Films 332 (1998) 457–465

thin solid films

Subject Index of Volume 332

Acanthite
Corrosion of titanium-nitride encapsulated silver films exposed to a H_2S ambient, 235
Adhesion
The nano-sratch tester (NST) as a new tool for assesing the strength of ultrathin hard coatings and the mar resistance of polymer films, 151
Mechanical properties of W and W(C) thin films: Young's modulus, fracture toughness and adhesion, 195
Aerogels
Uncooled thin film infrared imaging device with aerogel thermal isolation: deposition and planarization techniques, 356
AFM observation
Effect of external magnetic field on *c*-axis orientation and residual stress in AlN films, 247
AlN film
Effect of external magnetic field on *c*-axis orientation and residual stress in AlN films, 247
Aluminum
Texture and surface roughness of PRCVD aluminum films, 312
A low temperature integrated aluminum metallization technology for ULSI devices, 319
Aluminum alloy
Material characteristics and chemical–mechanical polishing of aluminum alloy thin films, 397
Ammonia free process
Characterization of a PECVD W_xN process using N_2, H_2, and WF_6, 329
Amorphous carbon
The microstructural dependence of the opto-electronic properties of nitrogenated hydrogenated amorphous carbon thin films, 118
Angle-resolved X-ray photoelectron spectroscopy
A Study on the structural distribution of Se-passivated GaAs surface, 305
Artificial neural network
Extremely fast ellipsometry solutions using cascaded neural networks alone, 50
ARXPS
Effect of GaAs surface treatments using HCl or $(NH_4)_2S_x$ solutions on the interfacial bonding states induced by deposition of Au, 437
As–Se anion exchange
A Study on the structural distribution of Se-passivated GaAs surface, 305
Atomic force microscopy
Chemical–mechanical polishing for giant magnetoresistance device integration, 391
Auger electron sputtering
Surface- and microanalytical characterization of silicon-carbonitride thin films prepared by means of radio-frequency magnetron co-sputtering, 230

Barium strontium titanate
Optical properties of RF sputtered strontium substituted barium titanate thin films, 46
Barrier
TiN reactive sputter deposition studied as a function of the pumping speed, 335
Barrier layer
Evaluation of tantalum silicide sputtering target materials for amorphous Ta–Si–N diffusion barrier for Cu metallization, 325
Bi-axial bending
Measurement of the micro mechanical properties of sol-gel TiO_2 films, 189
Bio-inorganic target
Sputtering process of carbon nitride films by using a novel bio-molecular C–N containing target, 74
Bonding structure
Vibrational properties of carbon nitride films by Raman spectroscopy, 62
Bonding transition
Effect of GaAs surface treatments using HCl or $(NH_4)_2S_x$ solutions on the interfacial bonding states induced by deposition of Au, 437
Boron carbide
Structures and properties of disordered boron carbide coatings generated by magnetron sputtering, 80
Bulge test
Comparison of mechanical properties of TiN thin films using nanoindentation and bulge test, 202

Carbon nitride
Properties of carbon nitride films deposited by magnetron sputtering, 56
Vibrational properties of carbon nitride films by Raman spectroscopy, 62
Sputtering process of carbon nitride films by using a novel bio-molecular C–N containing target, 74
Carbon
Microstructural characterisation of carbonaceous dust generated during the deposition of diamond-like carbon coatings, 252
Carbon powder
Gas desorption and adsorption properties of carbon based material used for cathode ray tube, 141

0040-6090/98/$ - see front matter © 1998 Elsevier Science S.A. All rights reserved.
PII S0040-6090(98)01463-1

Cathode ray tube
Gas desorption and adsorption properties of carbon based material used for cathode ray tube, 141
Cermet films
The effects of the process parameters on the electrical and microstructure characteristics of the CrSi thin resistor films: part I, 418
Characterization
Technique for characterization of thin film porosity, 257
Chemical composition
Structures and properties of disordered boron carbide coatings generated by magnetron sputtering, 80
Chemical mechanical polishing
A modified multi-chemical spray cleaning process for post shallow trench isolation chemical mechanical polishing cleaning application, 385
Chemical structure
Structures and properties of disordered boron carbide coatings generated by magnetron sputtering, 80
Chemical vapor deposition process
DC electrical conductivity of chemical vapour deposited diamond sheets: a correlation with hydrogen content and paramagnetic defects, 98
A low temperature integrated aluminum metallization technology for ULSI devices, 319
Chemical–mechanical polishing, Al_2O_3-based slurry
Material characteristics and chemical–mechanical polishing of aluminum alloy thin films, 397
Chemical–mechanical polishing
Chemical–mechanical polishing for giant magnetoresistance device integration, 391
Chromium oxide
Study on chromium oxide synthesized by unbalanced magnetron sputtering, 295
Co
Advanced salicides for 0.10 μm CMOS: Co salicide processes with low diode leakage and Ti salicide processes with direct formation of low resistivity C54 $TiSi_2$, 404
Coating
Structures and properties of disordered boron carbide coatings generated by magnetron sputtering, 80
Mechanical properties of SiO_2 and Si_3N_4 coatings: a BAM/NIST co-operative project, 164
Coating failure
Crack formation mechanisms during micro and macro indentation of diamond-like carbon coatings on elastic–plastic substrates, 180
Coating–substrate interfaces
Strength of HVOF coating–substrate interfaces, 185
Combustion synthesis
A technique for large area deposition of diamond via combustion flame synthesis, 87
Contact resistance
Low parasitic resistance contacts for scaled ULSI devices, 428
Corrosion
Corrosion of titanium-nitride encapsulated silver films exposed to a H_2S ambient, 235
$CoSi_2$
Advanced salicides for 0.10 μm CMOS: Co salicide processes with low diode leakage and Ti salicide processes with direct formation of low resistivity C54 $TiSi_2$, 404
Cr–Si–O cermet
Characterizing and modeling the apparent anomalous behavior of resistivity in Cr–Si–O thin films, 272
CrN
Sputter deposited chromium nitride based ternary compounds for hard coatings, 240
Cu metallization
Evaluation of tantalum silicide sputtering target materials for amorphous Ta–Si–N diffusion barrier for Cu metallization, 325

Dangling bonds
The effects of plasma treatment for low dielectric constant hydrogen silsesquioxane (HSQ), 345
Density
Structural and electrochromic properties of InN thin films, 267
Depth profiling
Depth profiling of non-conductive oxidic multilayers with plasma-based SNMS in HF-mode, 215
Diamond
Highly transparent nano-crystalline diamond films via substrate pretreatment and methane fraction optimization, 34
DC electrical conductivity of chemical vapour deposited diamond sheets: a correlation with hydrogen content and paramagnetic defects, 98
Influence of water vapour and oxygen on the tribological behaviour of diamond coatings/steel couple, 124
Thermal diffusion in molecular dynamics simulations of thin film diamond deposition, 109
Diamond coated cutting tools
A technique for large area deposition of diamond via combustion flame synthesis, 87
Diamond coating
A technique for large area deposition of diamond via combustion flame synthesis, 87
Diamond film
Microwave plasma chemical vapor deposition of diamond films with low residual stress on large area porous silicon substrates, 93
Diamond deposition from methanol–hydrogen–water mixed gas using a low pressure, radio frequency, inductively-coupled plasma, 136
Diamond-like carbon (DLC)
The investigation of thermal effect on the properties of pulsed laser deposited diamond-like carbon films, 103
Structural modifications and temperature stability of silicon incorporated diamond-like a-C:H films, 130
The nano-sratch tester (NST) as a new tool for assesing the strength of ultrathin hard coatings and the mar resistance of polymer films, 151
A laser acoustic method for testing and hard surface layers, 157
Crack formation mechanisms during micro and macro indentation of diamond-like carbon coatings on elastic–plastic substrates, 180
Diamond-like films

On the hardness of a-C:H films prepared by methane plasma decomposition, 113
Dielectric thick films
Thick SiO_xN_y and SiO_2 films obtained by PECVD technique at low temperatures, 40
Diluent gas
Texture and surface roughness of PRCVD aluminum films, 312

Effective medium theory
Characterizing and modeling the apparent anomalous behavior of resistivity in Cr–Si–O thin films, 272
Elastic modulus
Measurement of the micro mechanical properties of sol-gel TiO_2 films, 189
Electrical conductivity
DC electrical conductivity of chemical vapour deposited diamond sheets: a correlation with hydrogen content and paramagnetic defects, 98
Electrochromism
Structural and electrochromic properties of InN thin films, 267
Electron energy loss spectra (EELS)
The microstructural dependence of the opto-electronic properties of nitrogenated hydrogenated amorphous carbon thin films, 118
Electron microscopy
Microstructural characterisation of carbonaceous dust generated during the deposition of diamond-like carbon coatings, 252
Synthesis and processing of a Cu-In-Ga-Se sputtering target, 340
Electron paramagnetic resonance
DC electrical conductivity of chemical vapour deposited diamond sheets: a correlation with hydrogen content and paramagnetic defects, 98
Electronics
The microstructural dependence of the opto-electronic properties of nitrogenated hydrogenated amorphous carbon thin films, 118
Elevated source/drain
Low parasitic resistance contacts for scaled ULSI devices, 428
Ellipsometry
Process monitoring and control of low temperature reactively sputtered AlN, 16
Ellipsometry and transport studies of thin-film metal nitrides, 25
Extremely fast ellipsometry solutions using cascaded neural networks alone, 50
Energy influx
On the energy influx to the substrate during sputter deposition of thin aluminium films, 282
Environment
Influence of water vapour and oxygen on the tribological behaviour of diamond coatings/steel couple, 124
Excess Pb and O
Effect of excess Pb and O content of the ferroelectric properties of sputter deposited $Pb(Zr_{0.52}\ Ti_{0.48})O_3$/Pt system, 300

Fatigue
Effect of excess Pb and O content of the ferroelectric properties of sputter deposited $Pb(Zr_{0.52}\ Ti_{0.48})O_3$/Pt system, 300

FE modelling
Crack formation mechanisms during micro and macro indentation of diamond-like carbon coatings on elastic–plastic substrates, 180
Ferroelectric films
Optical properties of RF sputtered strontium substituted barium titanate thin films, 46
Flame method
Influence of water vapour and oxygen on the tribological behaviour of diamond coatings/steel couple, 124
Fluoridated oxide film
Properties of low dielectric constant fluorinated silicon oxide films prepared by plasma enhanced chemical vapor deposition, 369
Fluorinated amorphous carbon (FlAC)
Precursor selection for plasma deposited fluorinated amorphous carbon films, 362
Fracture mechanics
Crack formation mechanisms during micro and macro indentation of diamond-like carbon coatings on elastic–plastic substrates, 180
Friction coefficient
Properties of carbon nitride films deposited by magnetron sputtering, 56

GaAs
Secondary electron imaging of nucleation and growth of semiconductors for nanostructure fabrication, 262
A Study on the structural distribution of Se-passivated GaAs surface, 305
Effect of GaAs surface treatments using HCl or $(NH_4)_2S_x$ solutions on the interfacial bonding states induced by deposition of Au, 437
Gas adsorption
Gas desorption and adsorption properties of carbon based material used for cathode ray tube, 141
Gas desorption
Gas desorption and adsorption properties of carbon based material used for cathode ray tube, 141
Gas sensor devices
Depth profiling of non-conductive oxidic multilayers with plasma-based SNMS in HF-mode, 215
Giant magnetoresistance
Chemical–mechanical polishing for giant magnetoresistance device integration, 391
Graded materials
Indentation of graded substrates, 172
Grazing incidence X-ray diffractometry
Structural studies of ITO thin films with the Rietveld method, 277

Hard coating
Deposition of tungsten thin films by dual frequency inductively coupled plasma assisted CVD, 21

Hardness
On the hardness of a-C:H films prepared by methane plasma decomposition, 113
Mechanical properties of SiO_2 and Si_3N_4 coatings: a BAM/NIST co-operative project, 164
Comparison of mechanical properties of TiN thin films using nanoindentation and bulge test, 202
Hertzian cracks
Indentation of graded substrates, 172
High frequency mode
Depth profiling of non-conductive oxidic multilayers with plasma-based SNMS in HF-mode, 215
High transparency
Highly transparent nano-crystalline diamond films via substrate pretreatment and methane fraction optimization, 34
High velocity oxy fuel
Strength of HVOF coating–substrate interfaces, 185
Hydrodynamics
Assessment of post-CMP cleaning mechanisms using statistically-designed experiments, 379
Hydrogen silsesquioxane
The effects of plasma treatment for low dielectric constant hydrogen silsesquioxane (HSQ), 345
Enhancing the thermal stability of low dielectric constant hydrogen silsesquioxane by ion implantation, 351

IMD
Effect of O_2 plasma treatment on the properties of SiO_2 aerogel film, 444
In situ observation
Secondary electron imaging of nucleation and growth of semiconductors for nanostructure fabrication, 262
In situ sensor
Extremely fast ellipsometry solutions using cascaded neural networks alone, 50
Indentation
Mechanical properties of SiO_2 and Si_3N_4 coatings: a BAM/NIST co-operative project, 164
Indentation of graded substrates, 172
Crack formation mechanisms during micro and macro indentation of diamond-like carbon coatings on elastic–plastic substrates, 180
Indium nitride
Structural and electrochromic properties of InN thin films, 267
Inductively coupled plasma
Deposition of tungsten thin films by dual frequency inductively coupled plasma assisted CVD, 21
Diamond deposition from methanol–hydrogen–water mixed gas using a low pressure, radio frequency, inductively-coupled plasma, 136
Infrared imaging
Uncooled thin film infrared imaging device with aerogel thermal isolation: deposition and planarization techniques, 356
Inidium tin oxide
Structural studies of ITO thin films with the Rietveld method, 277
Integration
A low temperature integrated aluminum metallization technology for ULSI devices, 319
Interconnect
Material characteristics and chemical–mechanical polishing of aluminum alloy thin films, 397
Interfaces
Electronic structure and chemical characterization of ultra-thin insulating films, 209
Interfacial reaction
Effect of GaAs surface treatments using HCl or $(NH_4)_2S_x$ solutions on the interfacial bonding states induced by deposition of Au, 437
Intermetal dielectric material
Precursor selection for plasma deposited fluorinated amorphous carbon films, 362
Ion beam sputtering
Sputtering process of carbon nitride films by using a novel bio-molecular C–N containing target, 74
Ion implantation
Electronic structure and chemical characterization of ultra-thin insulating films, 209
Enhancing the thermal stability of low dielectric constant hydrogen silsesquioxane by ion implantation, 351
Ion plating
Structural and electrochromic properties of InN thin films, 267
IR spectroscopy
Vibrational properties of carbon nitride films by Raman spectroscopy, 62
Joint density of states (JDOS)
The microstructural dependence of the opto-electronic properties of nitrogenated hydrogenated amorphous carbon thin films, 118

Kanthal films
Electrical and microwave characterization of kanthal thin films: temperature and size effect, 220

Large area deposition
A technique for large area deposition of diamond via combustion flame synthesis, 87
Laser ablation
Raman microscopy study of pulsed laser ablation deposited silicon carbide films, 290
Laser deposition
Laser induced chemical vapor deposition of optical thin films on curved surfaces, 10
Laser induced chemical vapor deposition
Laser induced chemical vapor deposition of optical thin films on curved surfaces, 10
Low dielectric
Effect of O_2 plasma treatment on the properties of SiO_2 aerogel film, 444
The effect of sol viscosity on the sol–gel derived low density SiO_2 xerogel film for intermetal dielectric application, 447
Low dielectric constant
The effects of plasma treatment for low dielectric constant hydrogen silsesquioxane (HSQ), 345
Enhancing the thermal stability of low dielectric constant hydrogen silsesquioxane by ion implantation, 351
Properties of low dielectric constant fluorinated silicon oxide films prepared by plasma enhanced chemical vapor deposition, 369

Low energy electron diffraction
A Study on the structural distribution of Se-passivated GaAs surface, 305
Low *k*
Precursor selection for plasma deposited flourinated carbon films, 362
Low temperature reactively sputtered AlN
Process monitoring and control of low temperature reactively sputtered AlN, 16
LPCVD TiN
Characterization of multilayered Ti/TiN films grown by chemical vapor deposition, 423

Magnetron sputtering
Vibrational properties of carbon nitride films by Raman spectroscopy, 62
Structures and properties of disordered boron carbide coatings generated by magnetron sputtering, 80
Comparison of mechanical properties of TiN thin films using nanoindentation and bulge test, 202
Sputter deposited chromium nitride based ternary compounds for hard coatings, 240
On the energy influx to the substrate during sputter deposition of thin aluminium films, 282
Study on chromium oxide synthesized by unbalanced magnetron sputtering, 295
Magnetron sputtering FTIR
Properties of carbon nitride films deposited by magnetron sputtering, 56
Mar resistance
The nano-sratch tester (NST) as a new tool for assesing the strength of ultrathin hard coatings and the mar resistance of polymer films, 151
Mass spectrometry
Sputtering process of carbon nitride films by using a novel bio-molecular C–N containing target, 74
Mechanical alloying
Synthesis and processing of a Cu-In-Ga-Se sputtering target, 340
Mechanical properties
Measurement of the micro mechanical properties of sol-gel TiO_2 films, 189
Metallization
A low temperature integrated aluminum metallization technology for ULSI devices, 319
Microelectromechanical systems
Implementation of micromirror arrays as optical binary switches and amplitude modulators, 1
Micro-electronics
TiN reactive sputter deposition studied as a function of the pumping speed, 335
Micro-indentation
A laser acoustic method for testing and hard surface layers, 157
Micromirror
Implementation of micromirror arrays as optical binary switches and amplitude modulators, 1
Micro-opto-electromechanical systems
Implementation of micromirror arrays as optical binary switches and amplitude modulators, 1
Microstructure
The microstructural dependence of the opto-electronic properties of nitrogenated hydrogenated amorphous carbon thin films, 118
Microwave characterization
Electrical and microwave characterization of kanthal thin films: temperature and size effect, 220
Microwave plasma chemical vapor deposition
Microwave plasma chemical vapor deposition of diamond films with low residual stress on large area porous silicon substrates, 93
Mo
Advanced salicides for 0.10 μm CMOS: Co salicide processes with low diode leakage and Ti salicide processes with direct formation of low resistivity C54 $TiSi_2$, 404
Modulus
Mechanical properties of SiO_2 and Si_3N_4 coatings: a BAM/NIST co-operative project, 164
Morphology
Structures and properties of disordered boron carbide coatings generated by magnetron sputtering, 80
Comparison of mechanical properties of TiN thin films using nanoindentation and bulge test, 202
MOS capacitors
MOS capacitor characteristics of plasma oxide on partially strained SiGeC films, 375
Multi-chemicals spray cleaning
A modified multi-chemical spray cleaning process for post shallow trench isolation chemical mechanical polishing cleaning application, 385
Multilayer films
A laser acoustic method for testing and hard surface layers, 157
Multilayered Ti/TiN film
Characterization of multilayered Ti/TiN films grown by chemical vapor deposition, 423

Nano-crystalline
Highly transparent nano-crystalline diamond films via substrate pretreatment and methane fraction optimization, 34
Nanoindentation
Comparison of mechanical properties of TiN thin films using nanoindentation and bulge test, 202
Nano-scratch test
The nano-sratch tester (NST) as a new tool for assesing the strength of ultrathin hard coatings and the mar resistance of polymer films, 151
Nickel oxide
Electronic structure and chemical characterization of ultrathin insulating films, 209
Non-Rutherford backscattering
Surface- and microanalytical characterization of silicon-carbonitride thin films prepared by means of radio-frequency magnetron co-sputtering, 230
Nuclear reaction analysis
Surface- and microanalytical characterization of silicon-carbonitride thin films prepared by means of radio-frequency magnetron co-sputtering, 230
Nucleation
Secondary electron imaging of nucleation and growth of semiconductors for nanostructure fabrication, 262

Optical coatings
Laser induced chemical vapor deposition of optical thin films on curved surfaces, 10
Optical constants
Optical properties of RF sputtered strontium substituted barium titanate thin films, 46
Optical properties
Correlation of predicted and observed optical properties of multilayer thermal control coatings, 30
Oxy-acetylene flame
A technique for large area deposition of diamond via combustion flame synthesis, 87
Oxygen plasma
Effect of O_2 plasma treatment on the properties of SiO_2 aerogel film, 444

Particle removal
Assessment of post-CMP cleaning mechanisms using statistically-designed experiments, 379
Passivate
The effects of plasma treatment for low dielectric constant hydrogen silsesquioxane (HSQ), 345
PECVD Ti
Characterization of multilayered Ti/TiN films grown by chemical vapor deposition, 423
Photoelectron spectroscopy
Electronic structure and chemical characterization of ultrathin insulating films, 209
Planarization
Uncooled thin film infrared imaging device with aerogel thermal isolation: deposition and planarization techniques, 356
Plasma enhanced chemical vapor deposition
Deposition of tungsten thin films by dual frequency inductively coupled plasma assisted CVD, 21
Thick SiO_xN_y and SiO_2 films obtained by PECVD technique at low temperatures, 40
Microstructural characterisation of carbonaceous dust generated during the deposition of diamond-like carbon coatings, 252
Characterization of a PECVD W_xN process using N_2, H_2, and WF_6, 329
Precursor selection for plasma deposited fluorinated amorphous carbon films, 362
Plasma oxide
MOS capacitor characteristics of plasma oxide on partially strained SiGeC films, 375
Plasma post-treatment
Characterization of multilayered Ti/TiN films grown by chemical vapor deposition, 423
Plasma processing and deposition
Properties of low dielectric constant fluorinated silicon oxide films prepared by plasma enhanced chemical vapor deposition, 369
Plasma SNMS
Depth profiling of non-conductive oxidic multilayers with plasma-based SNMS in HF-mode, 215
Plasma treatment
The effects of plasma treatment for low dielectric constant hydrogen silsesquioxane (HSQ), 345
Effect of O_2 plasma treatment on the properties of SiO_2 aerogel film, 444
PLZT
Uncooled thin film infrared imaging device with aerogel thermal isolation: deposition and planarization techniques, 356
Porous silicon
Microwave plasma chemical vapor deposition of diamond films with low residual stress on large area porous silicon substrates, 93
Post-CMP cleaning
Assessment of post-CMP cleaning mechanisms using statistically-designed experiments, 379
A modified multi-chemical spray cleaning process for post shallow trench isolation chemical mechanical polishing cleaning application, 385
Chemical–mechanical polishing for giant magnetoresistance device integration, 391
Powder processing
On the energy influx to the substrate during sputter deposition of thin aluminium films, 282
Pre-amorphization
Advanced salicides for 0.10 μm CMOS: Co salicide processes with low diode leakage and Ti salicide processes with direct formation of low resistivity C54 $TiSi_2$, 404
Programmed rate chemical vapor deposition
Texture and surface roughness of PRCVD aluminum films, 312
Property
Structures and properties of disordered boron carbide coatings generated by magnetron sputtering, 80
Pulsed laser deposition (PLD)
The investigation of thermal effect on the properties of pulsed laser deposited diamond-like carbon films, 103
Pyroelectric
Uncooled thin film infrared imaging device with aerogel thermal isolation: deposition and planarization techniques, 356
PZT
Uncooled thin film infrared imaging device with aerogel thermal isolation: deposition and planarization techniques, 356
Effect of excess Pb and O content of the ferroelectric properties of sputter deposited $Pb(Zr_{0.52}\ Ti_{0.48})O_3/Pt$ system, 300

Radio-frequency magnetron co-sputtering
Surface- and microanalytical characterization of silicon-carbonitride thin films prepared by means of radio-frequency magnetron co-sputtering, 230
Raman scattering
Raman microscopy study of pulsed laser ablation deposited silicon carbide films, 290
Raman spectroscopy
Vibrational properties of carbon nitride films by Raman spectroscopy, 62
Reactive sputter deposition
TiN reactive sputter deposition studied as a function of the pumping speed, 335
Reactive sputtering

Characterizing and modeling the apparent anomalous behavior of resistivity in Cr–Si–O thin films, 272
Real-time growth control
Extremely fast ellipsometry solutions using cascaded neural networks alone, 50
Residual stress
Influence of stress distribution on adhesion strength of sputtered hard coatings, 146
Comparison of mechanical properties of TiN thin films using nanoindentation and bulge test, 202
Effect of external magnetic field on *c*-axis orientation and residual stress in AlN films, 247
Resitivity
Characterizing and modeling the apparent anomalous behavior of resistivity in Cr–Si–O thin films, 272
Rietveld method
Structural studies of ITO thin films with the Rietveld method, 277

Salicide
Advanced salicides for 0.10 μm CMOS: Co salicide processes with low diode leakage and Ti salicide processes with direct formation of low resistivity C54 $TiSi_2$, 404
Scanning electron microscopy
Secondary electron imaging of nucleation and growth of semiconductors for nanostructure fabrication, 262
Scanning force microscopy
The nano-sratch tester (NST) as a new tool for assesing the strength of ultrathin hard coatings and the mar resistance of polymer films, 151
Selective growth
Secondary electron imaging of nucleation and growth of semiconductors for nanostructure fabrication, 262
Self-aligned silicides
Low parasitic resistance contacts for scaled ULSI devices, 428
Se-passivation
A Study on the structural distribution of Se-passivated GaAs surface, 305
Shallow trench isolation
A modified multi-chemical spray cleaning process for post shallow trench isolation chemical mechanical polishing cleaning application, 385
Si
Secondary electron imaging of nucleation and growth of semiconductors for nanostructure fabrication, 262
Si-C-N thin films
Surface- and microanalytical characterization of silicon-carbonitride thin films prepared by means of radio-frequency magnetron co-sputtering, 230
SiGeC
MOS capacitor characteristics of plasma oxide on partially strained SiGeC films, 375
Silica
Mechanical properties of SiO_2 and Si_3N_4 coatings: a BAM/NIST co-operative project, 164
Silicide
Advanced salicides for 0.10 μm CMOS: Co salicide processes with low diode leakage and Ti salicide processes with direct formation of low resistivity C54 $TiSi_2$, 404
Silicon carbide
Raman microscopy study of pulsed laser ablation deposited silicon carbide films, 290
Silicon dioxide
Thick SiO_xN_y and SiO_2 films obtained by PECVD technique at low temperatures, 40
Silicon heterostructures
MOS capacitor characteristics of plasma oxide on partially strained SiGeC films, 375
Silicon micromachining
Implementation of micromirror arrays as optical binary switches and amplitude modulators, 1
Silicon nitride
Mechanical properties of SiO_2 and Si_3N_4 coatings: a BAM/NIST co-operative project, 164
Silicon oxynitride
Thick SiO_xN_y and SiO_2 films obtained by PECVD technique at low temperatures, 40
Silicon–carbon alloys
Structural modifications and temperature stability of silicon incorporated diamond-like a-C:H films, 130
Silver metallization
Corrosion of titanium-nitride encapsulated silver films exposed to a H_2S ambient, 235
Simulations
Thermal diffusion in molecular dynamics simulations of thin film diamond deposition, 109
SiO2 aerogel
Effect of O_2 plasma treatment on the properties of SiO_2 aerogel film, 444
SiO2 xerogel
The effect of sol viscosity on the sol–gel derived low density SiO_2 xerogel film for intermetal dielectric application, 449
Size effect
Electrical and microwave characterization of kanthal thin films: temperature and size effect, 220
Smoothness
Highly transparent nano-crystalline diamond films via substrate pretreatment and methane fraction optimization, 34
Sol viscosity
The effect of sol viscosity on the sol–gel derived low density SiO_2 xerogel film for intermetal dielectric application, 449
Sol-gel
Measurement of the micro mechanical properties of sol-gel TiO_2 films, 189
sp^3/sp^2 carbon bond ratio
The investigation of thermal effect on the properties of pulsed laser deposited diamond-like carbon films, 103
Space charge model
Effect of excess Pb and O content of the ferroelectric properties of sputter deposited $Pb(Zr_{0.52}\ Ti_{0.48})O_3/Pt$ system, 300
Sputtering
Effect of external magnetic field on *c*-axis orientation and residual stress in AlN films, 247
The effects of the process parameters on the electrical and microstructure characteristics of the CrSi thin resistor films: part I, 418

Sputtering target
Evaluation of tantalum silicide sputtering target materials for amorphous Ta–Si–N diffusion barrier for Cu metallization, 325
Synthesis and processing of a Cu-In-Ga-Se sputtering target, 340
Stillinger–Weber
Thermal diffusion in molecular dynamics simulations of thin film diamond deposition, 109
Stoichiometry
TiN reactive sputter deposition studied as a function of the pumping speed, 335
Stress
On the hardness of a-C:H films prepared by methane plasma decomposition, 113
Structural properties
Structural and electrochromic properties of InN thin films, 267
Structure model
Structural studies of ITO thin films with the Rietveld method, 277
Subimplantation model
On the hardness of a-C:H films prepared by methane plasma decomposition, 113
Substrate plasticity
Crack formation mechanisms during micro and macro indentation of diamond-like carbon coatings on elastic–plastic substrates, 180
Substrate type
Texture and surface roughness of PRCVD aluminum films, 312
Surface acoustic wave
A laser acoustic method for testing and hard surface layers, 157
Technique for characterization of thin film porosity, 257
Surface micromachining
Implementation of micromirror arrays as optical binary switches and amplitude modulators, 1
Surface modification
The effect of sol viscosity on the sol–gel derived low density SiO_2 xerogel film for intermetal dielectric application, 449
Surface morphology
Gas desorption and adsorption properties of carbon based material used for cathode ray tube, 141
Surface roughness
Gas desorption and adsorption properties of carbon based material used for cathode ray tube, 141
Texture and surface roughness of PRCVD aluminum films, 312
Chemical–mechanical polishing for giant magnetoresistance device integration, 391

Ta–Si–N
Evaluation of tantalum silicide sputtering target materials for amorphous Ta–Si–N diffusion barrier for Cu metallization, 325
Tantalum silicide
Evaluation of tantalum silicide sputtering target materials for amorphous Ta–Si–N diffusion barrier for Cu metallization, 325
Target voltage analysis
Process monitoring and control of low temperature reactively sputtered AlN, 16
Temperature coefficient of resistance
The effects of the process parameters on the electrical and microstructure characteristics of the CrSi thin resistor films: part I, 418
Temperature stability
Structural modifications and temperature stability of silicon incorporated diamond-like a-C:H films, 130
Ternary compounds
Sputter deposited chromium nitride based ternary compounds for hard coatings, 240
Texture
Texture and surface roughness of PRCVD aluminum films, 312
Thermal control coatings
Correlation of predicted and observed optical properties of multilayer thermal control coatings, 30
Thermal diffusion
Thermal diffusion in molecular dynamics simulations of thin film diamond deposition, 109
Thermal power
On the energy influx to the substrate during sputter deposition of thin aluminium films, 282
Thin film porosity
Technique for characterization of thin film porosity, 257
Thin films
Laser induced chemical vapor deposition of optical thin films on curved surfaces, 10
Deposition of tungsten thin films by dual frequency inductively coupled plasma assisted CVD, 21
Extremely fast ellipsometry solutions using cascaded neural networks alone, 50
Mechanical properties of SiO_2 and Si_3N_4 coatings: a BAM/NIST co-operative project, 164
Raman microscopy study of pulsed laser ablation deposited silicon carbide films, 290
TiN reactive sputter deposition studied as a function of the pumping speed, 335
Thin resistor films
The effects of the process parameters on the electrical and microstructure characteristics of the CrSi thin resistor films: part I, 418
Thin-film metal nitrides
Ellipsometry and transport studies of thin-film metal nitrides, 25
Ti
Advanced salicides for 0.10 μm CMOS: Co salicide processes with low diode leakage and Ti salicide processes with direct formation of low resistivity C54 $TiSi_2$, 404
TIBA
Texture and surface roughness of PRCVD aluminum films, 312
(TiAl)N-coatings
Influence of stress distribution on adhesion strength of sputtered hard coatings, 146
TiN
Comparison of mechanical properties of TiN thin films using nanoindentation and bulge test, 202

TiN reactive sputter deposition studied as a function of the pumping speed, 335
$TiSi_2$
Advanced salicides for 0.10 μm CMOS: Co salicide processes with low diode leakage and Ti salicide processes with direct formation of low resistivity C54 $TiSi_2$, 404
Titanium nitrate
A laser acoustic method for testing and hard surface layers, 157
Titanium nitride
Corrosion of titanium-nitride encapsulated silver films exposed to a H_2S ambient, 235
TiN reactive sputter deposition studied as a function of the pumping speed, 335
Titanium oxide
Electronic structure and chemical characterization of ultrathin insulating films, 209
Titanium oxide powder
Gas desorption and adsorption properties of carbon based material used for cathode ray tube, 141
Transition metal nitrides
Sputter deposited chromium nitride based ternary compounds for hard coatings, 240
Transmission electron microscopy
Structural and electrochromic properties of InN thin films, 267
Transport
Ellipsometry and transport studies of thin-film metal nitrides, 25
Tribology
Influence of water vapour and oxygen on the tribological behaviour of diamond coatings/steel couple, 124
Tungsten
Deposition of tungsten thin films by dual frequency inductively coupled plasma assisted CVD, 21
Mechanical properties of W and W(C) thin films: Young's modulus, fracture toughness and adhesion, 195
Tungsten nitride
Characterization of a PECVD W_xN process using N_2, H_2, and WF_6, 329
Tungsten–carbon
Mechanical properties of W and W(C) thin films: Young's modulus, fracture toughness and adhesion, 195

ULSI devices
Low parasitic resistance contacts for scaled ULSI devices, 428

Valence band spectra
Vibrational properties of carbon nitride films by Raman spectroscopy, 62
Vibrational properties
Vibrational properties of carbon nitride films by Raman spectroscopy, 62

Water glass
Gas desorption and adsorption properties of carbon based material used for cathode ray tube, 141
Wear behaviour
Influence of stress distribution on adhesion strength of sputtered hard coatings, 146

X-ray absorption spectroscopy
Electronic structure and chemical characterization of ultrathin insulating films, 209
X-ray diffraction
Effect of external magnetic field on *c*-axis orientation and residual stress in AlN films, 247
Synthesis and processing of a Cu-In-Ga-Se sputtering target, 340